

## BornAgain - Bug #1626

### Specular calculation gives weird results below critical angle in presence of top layer absorption

07 Nov 2016 16:18 - herck

|  |                                  |
|--|----------------------------------|
| <b>Status:</b> Rejected  | <b>Start date:</b> 07 Nov 2016   |
| <b>Priority:</b> Normal  | <b>Due date:</b>                 |
| <b>Assignee:</b> herck   | <b>% Done:</b> 0%                |
| <b>Category:</b>   | <b>Estimated time:</b> 0.00 hour |
| <b>Target version:</b> Sprint 35                                   |                                  |
| <b>Description</b><br>See support script for Frielinghaus (intern) |                                  |

#### History

---

**#1 - 16 Nov 2016 12:47 - wuttke**

- Parent task set to #1438

**#2 - 01 Sep 2017 13:33 - herck**

- Target version set to Sprint 35

**#3 - 01 Sep 2017 13:33 - herck**

- Status changed from Backlog to Sprint

**#4 - 04 Sep 2017 15:49 - herck**

- Assignee set to herck

**#5 - 07 Sep 2017 17:48 - herck**

- Status changed from Sprint to Rejected

This issue seems to be already solved in the past. If not, reopen.

**#6 - 18 Sep 2020 18:12 - wuttke**

- Parent task deleted (#1438)