

BornAgain - Feature #1675

Feature # 1290 (Rejected): === Core: framework ===

Feature # 1572 (Rejected): == Python ==

Get rid of ctypes.addressof in PySampleBuilder

24 Nov 2016 17:57 - pospelov

Status:	Rejected	Start date:	24 Nov 2016
Priority:	Normal	Due date:	
Assignee:		% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:	Sprint 37		
Description			
As Jonathan suggested, we can get rid from ctype's dependency in Python by replacing it with its numpy alternative. In addition, we can extend SampleBuilder::registerParameter method on Python side to hide from users scary numpy.ctypes.addressof.			

History

#1 - 27 Nov 2016 08:19 - wuttke

- Parent task set to #1572

#2 - 06 Apr 2017 12:55 - herck

- Status changed from Sprint to Backlog

#3 - 06 Apr 2017 12:56 - herck

- Target version deleted (Sprint 33)

#4 - 01 Mar 2018 16:15 - pospelov

- Status changed from Backlog to Sprint

- Target version set to Sprint 37

At least investigate the possibility

#5 - 06 Apr 2018 08:48 - pospelov

- Assignee set to pospelov

#6 - 12 Apr 2018 17:06 - pospelov

- Assignee deleted (pospelov)

I found the way to remove ctypes, but in the view of [#2033](#) it might not be necessary at all. Postponing...

#7 - 23 May 2018 15:32 - pospelov

- Status changed from Sprint to Rejected